

Product Name: 2SPEC Endurance 20-0-20

Page: 1 of 5 Issued: March 2022

# Section 1 - Identification of Material and Supplier

Chemical Nature: Blend of fertiliser ingredients
Trade Name: 2SPEC Endurance 20-0-20

Product Use: Fertiliser

Supplier: Amgrow Pty Ltd, Unit B2a, 3-29 Birnie Avenue, Lidcombe NSW 2141

Phone: (02) 9395 1200 (Office hours), Fax: (02) 9395 1241

www.amgrow.com.au

Creation Date: March 2022 (valid for 5 years from this date)

### Section 2 - Hazards Identification

#### Statement of Hazardous Nature

### NOT CLASSIFIED AS HAZARDOUS ACCORDING TO THE CRITERIA OF SWA

### NOT A DANGEROUS GOOD ACCORDING TO THE ADG CODE, IATA OR IMDG/IMSBC CRITERIA

Hazard Statement: Not Hazardous - No criteria found.

Precautionary Statements: Do not breathe dusts. Wear suitable protective clothing. Avoid contact with

skin and eyes.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods

(ADG) Code, IATA or IMDG/IMSBC criteria.

**UN Number:** None allocated

GHS Signal word: NONE. Not hazardous.

#### **PREVENTION**

P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P281: Use personal protective equipment as required.

### **RESPONSE**

P353: Rinse skin or shower with water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

### STORAGE

P402+P404: Store in a dry place. Store in a closed container.

### **DISPOSAL**

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

### **Emergency Overview**

Physical Description & colour: Blend of coloured and white prills

**Odour:** Slight odour

Major Health Hazards: No significant risk factors have been found for this product in normal use.

# Section 3 - Composition/Information on Ingredients

Ingredients	CAS No
Urea (incl sulfur-coated)	57-13- <u>6</u>
Potassium Sulphate (Sulphate of Potash)	7778-80-5
Calcium Carbonate (Calgrit)	471-34-1

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

### **SAFETY DATA SHEET**



Product Name: 2SPEC Endurance 20-0-20 Page: 2 of 5

Issued: March 2022

## Section 4 - First Aid Measures

**General Information:** You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

**Skin Contact:** Gently brush away excess particles. Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** Quickly and gently brush particles from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, if in doubt contact a Poisons Information Centre or doctor.

## Section 5 - Fire Fighting Measures

**Fire and Explosion Hazards**: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

Fire decomposition products from this product are likely to be irritating if inhaled.

**Extinguishing Media:** Not combustible. Use extinguishing media suited to burning materials. **Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade.

Flash point: Does not burn.
Upper Flammability Limit: Does not burn.
Lower Flammability Limit: Does not burn.

Auto ignition temperature: Not applicable - does not burn.

Flammability Class: Does not burn.

### Section 6 - Accidental Release Measures

**Accidental release:** For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services. This material may be suitable for approved landfill.

# Section 7 - Handling and Storage

**Handling:** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

**Storage:** Store in cool, dry area removed from foodstuffs. Ensure containers are labelled, protected from physical damage and sealed when not in use. Do not allow to come into contact with water either from rain, condensation or the surface on which it is stored. Bagged fertilisers should be stored under cover and out of direct sunlight. Store away from farm chemicals eg insecticides, fungicides and herbicides. This product when stored in a confined, unventilated space can give off ammonia or other odour and lead to the depletion of oxygen within this space and other confined areas



Product Name: 2SPEC Endurance 20-0-2 Page: 3 of 5

Issued: March 2022

# Section 8 - Exposure Controls and Personal Protection

### Exposure Limits TWA (mg/mP3P) STEL (mg/mP3P) ADI (mg/Kg/day) NOEL (mg/Kg/day

Exposure limits have not been set by SWA for other ingredients in product. The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. There is a blanket limit of 10mg/m³ for dusts or mists when limits have not otherwise been established. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly. ADI means Acceptable Daily Intake and NOEL means No-observable-effect-level. Values taken from Australian ADI List, 31st March 2012

#### **Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Industrial Clothing: **AS2919**, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

**Ventilation:** Avoid high dust concentration and provide local exhaust ventilation where necessary.

Eye Protection: Eye protection such as protective glasses or goggles is recommended.

**Skin Protection:** Wear gloves or gauntlets and long sleeves when using this product to protect against skin irritation

**Respirator:** Use P2 type canister respirator where high concentrations of airborne dust is present Provision of eye wash facilities and safety shower recommended.

Wash hands before eating, drinking, smoking or going to toilet, launder protective clothing before re-use.

## Section 9 - Physical and Chemical Properties:

Physical Description & colour: Blend of coloured and white prills

Odour: Slight odour. Boiling Point: Not applicable.

**Freezing/Melting Point:** Decomposes before melting.

**Volatiles:** No specific data. Expected to be low at 100°C. **Vapour Pressure:** Negligible at normal ambient temperatures.

Vapour Density: Not applicable.

Specific Gravity: No data.

Water Solubility: Slightly soluble.

pH: No data.

**Volatility:** Negligible at normal ambient temperatures.

Odour Threshold: No data. Evaporation Rate: Not applicable.

Coeff Oil/water Distribution: No data

Viscosity: Not applicable.

**Auto ignition temp:** Not applicable - does not burn

# Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions.

Conditions to Avoid: Heat, flames.

Incompatibilities: no special incompatibilities

**Fire Decomposition Products:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May evolve ammonia and oxides of nitrogen, sulphur, and potassium when heated to decomposition

**Polymerisation:** This product is unlikely to undergo polymerisation processes.

**Reactivity**: Compatible with most commonly used materials

**SAFETY DATA SHEET** 



Product Name: 2SPEC Endurance 20-0-2 Page: 4 of 5

Issued: March 2022

## Section 11 - Toxicological Information

**Target Organs:** There is no data to hand indicating any particular target organs.

#### Potential Health Effects

**Inhalation:** Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort. Long Term Exposure: No data for health effects associated with long term inhalation.

**Skin Contact:** Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term skin exposure.

**Eye Contact:** Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

**Ingestion:** Short Term Exposure: Significant oral exposure is considered to be unlikely. This product, while believed to be not harmful, is likely to cause headache and gastric disturbance such as nausea and vomiting if ingested in significant quantities. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

### **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

### Classification of Hazardous Ingredients

Ingredient Hazard Statement

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

## Section 12 - Ecological Information

This product is unlikely to adversely affect the environment. Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities. Not expected to be an environmental hazard.

# Section 13 - Disposal Considerations

**Disposal:** Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service. This product can usually be used for its intended purpose unless contaminated by substances that make it unsuited.

# Section 14 - Transport Information

**UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

# Section 15 - Regulatory Information

**AIIC:** All of the significant ingredients in this formulation are compliant with AICIS regulations.



Product Name: 2SPEC Endurance 20-0-2

Page: 5 of 5 Issued: March 2022

## Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

### **Acronyms:**

7 to: 011 y 11101			
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail	IMSBC	International Maritime Solid Bulk Code
AIIC	Australian Inventory of Industrial Chemicals	NOHSC	National Occupational Health and Safety Commission
ASCC	Australian Safety & Compensation Council	NTP	National Toxicology Program (USA)
CAS number	Chemical Abstracts Service Registry Number		
Hazchem Number	Emergency action code of numbers and letters that provide information to emergency services especially fire-fighters	SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
IARC	International Agency for Research on Cancer	SWA	Safe Work Australia (formerly ASCC and NOHSC)
IATA	International Air Transport Authority	UN Number	United Nations Number
IMDG	International Maritime Dangerous Good		

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardou Chemicals - Code of Practice" (July 2020)

Copyright © Amgrow Pty Ltd, March 2022