

**WARNING**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**BARMAC**

# LAWNWEEDER PLUS

Selective Weedkiller

**ACTIVE CONSTITUENTS:**

192 g/L BENTAZONE present as the Sodium Salt  
112 g/L MCPA present as the Dimethylamine Salt  
19 g/L DICAMBA present as the Dimethylamine Salt



For the control of Mullumbimby Couch and Broadleaf Weeds in lawns in the home garden.

**READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT**

**NET CONTENTS .....500 mL, 1 L**



**BARMAC INDUSTRIES PTY LTD**

**14 Annie Street, ROCKLEA. QLD 4106**

Batch No. ....

Date of Manufacture. ....

**NRA Approval No. 46141/0101**

**HOW TO USE:**

DO NOT mow turf for at least 3 days before or after spray application.

DO NOT apply if rain is expected within 8 hours.

DO NOT apply to plants suffering from stress.

PLANTS	WEEDS CONTROLLED	RATE	HOW TO APPLY
Lawns	Bindii, Clover, Chickweed, Creeping Oxalis, Cudweed, Dock, Dandelions, Flatweed, Fleabane, Lamb's Tongue, Sowthistle, Mullumbimby Couch	SPRAY Spray 20mL in 2L of water per 10m <sup>2</sup>  SPOT SPRAY Mix 60mL in 10L of water	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering, when soil is moist. Thoroughly wet foliage but avoid excessive run off. For effective control of Mullumbimby Couch spray in warmer months (November and December) when weed is actively growing. Respray any remaining weeds in 3-4 weeks. To avoid damage to lawns do not mix at a higher rate or spray more often than recommended.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL, UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**HOW TO PREPARE:**

Product can be applied with most Garden Sprayers. Avoid using a fine droplet as this will increase spray drift. Fill sprayer with water and add chemical last. Weeds are killed by absorption through the leaf and root system of susceptible weeds. It is important to apply the recommended spray mixture when the weeds are young and actively growing and soil is moist. Results may take time to become evident.

**CAUTION:**

DO NOT allow spray to contact other plants that you do not want killed.

DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds.

DO NOT feed grass clippings from treated areas to poultry or other animals.

**STORAGE & DISPOSAL:**

Store in the closed, original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

**SAFETY DIRECTIONS:**

Will irritate the eyes, nose, throat and skin. Avoid contact with eyes and skin. DO NOT inhale spray mist. If product on skin, immediately wash area with soap and water. If in eyes wash out immediately. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

**FIRST AID:**

If poisoning occurs, contact a Doctor or Poisons Information Centre – phone 131 126.

**NOTICE**

This information is not intended to replace the product label. Failure to use any product in a manner consistent with the label may be illegal, prove dangerous and render the product ineffective. While every endeavour has been made to ensure that this information is accurate and up to date Barmac Industries Pty Ltd will not accept any responsibility for any use of this product based on the information herewith if this use is inconsistent with the label supplied at the time of purchase.



**WARNING**

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**BARMAC**

# LAWNWEEDER PLUS

Selective Weedkiller

**ACTIVE CONSTITUENTS:**

192 g/L BENTAZONE present as the Sodium Salt  
112 g/L MCPA present as the Dimethylamine Salt  
19 g/L DICAMBA present as the Dimethylamine Salt

GROUP CI HERBICIDE

**For the control of Mullumbimby Couch and Broadleaf  
Weeds in Turf as per the directions for use.**

**NET CONTENTS 5, 20 Litres**



**BARMAC INDUSTRIES PTY LTD**  
**14 Annie Street, ROCKLEA. QLD 4106**  
Batch Number .....  
Date of manufacture .....

**NRA Approval No. 46141/0101**

## DIRECTIONS FOR USE - ALL STATES

**RESTRAINTS:**

DO NOT mow turf for at least 3 days before or after spray application.

DO NOT apply if rain is expected within 8 hours.

SITUATION	PEST	STATE	RATE	CRITICAL COMMENTS
Lawns & Turf (except Lippia, Strawberry Clover or Saltene (Paspalum notatum) Lawns	Bindii, Clover, Chickweed, Creeping Oxalis, Cudweed, Dock, Dandelions, Flatweed, Fleabane, Lamb's Tongue, Sowthistle, Mullumbimby Couch	All States	SPRAY Spray 200mL in 20L of water per 100m <sup>2</sup>  SPOT SPRAY 60mL in 10L of water and wet weeds thoroughly.	Spray annual weeds when young and vigorous and perennial weeds just prior to flowering, when soil is moist. Thoroughly wet foliage but avoid excessive run off. Repeat application 3 - 4 weeks after initial spraying if necessary. To avoid damage to turf do not exceed recommended rates or spray intervals. For effective control of Mullumbimby Couch spray in warmer months (November and December) when weed is actively growing.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL, UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL INSTRUCTIONS

This product mixes readily in a hard or soft water. Weeds are killed by absorption through the leaf and root system of susceptible weeds. It is important to apply the recommended spray mixture when the weeds are young and actively growing and soil is moist. Results may take time to become evident. If necessary to respray, allow an interval of 3 weeks. This product when applied at the recommended rates, may be used on established turf such as couch, blue couch, fescue, carpet, centipede, Kentucky blue and rye grass.

**RESISTANT WEEDS WARNING:** Barmac Lawnweeder Plus Selective Weedkiller is a combination of the Benzothiadiazoles, Phenoxy and benzoic acid groups of herbicides. For weed resistance management Barmac Lawnweeder Plus Selective Weedkiller is a group C & I herbicide. Some naturally occurring weed biotypes resistant to Barmac Lawnweeder Plus Selective Weedkiller and other group C or I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Barmac Lawnweeder Plus Selective Weedkiller or other group C or I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Barmac Industries Pty Ltd accepts not responsibility for any losses that may result from the failure of Barmac Lawnweeder Plus Selective Weedkiller to control resistant weeds.

**PROTECTION OF LIVESTOCK:** Do not feed grass clippings from treated areas to poultry or livestock.

**PROTECTION OF CROPS, NATIVE AND OTHER NON TARGET PLANTS:** Do not apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

In particular, avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins, fruit trees and ornamentals.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT** Do not contaminate streams, rivers or waterways with the chemical or used container.

**STORAGE AND DISPOSAL:** Store in a closed, original container in a cool well ventilated area away from children, animals, food, feedstuffs, seed and fertilizer. Do not store for prolonged periods in direct sunlight. Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, puncture or crush and bury empty containers in a local authority landfill. If no local authority landfill is available bury the containers below 500 mm in a disposal pit specifically marked and set up for the purpose, clear of waterways, desirable vegetation and tree roots. Empty containers or product should not be burned.

### SAFETY DIRECTIONS:

Harmful if swallowed. Attacks the eyes. Will irritate the skin. Avoid contact with eyes and skin. When opening the container, preparing the spray, using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves and goggles. If product on skin immediately wash area with soap and water. If in eyes wash out immediately with water. After use and before eating and drinking or smoking wash hands, arms and face thoroughly with soap and

water. After each days use wash gloves, goggles and contaminated clothing.

**FIRST AID:**

If poisoning occurs, contact a Doctor or Poisons Information Centre – Phone 131 126.

**NOTICE**

This product is designed only for the particular puposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatory imposed by Statutes applicable to the sale and supply of these goods.