

Section 1 - Identification of the Material and Supplier

Amgrow Pty Ltd	Phone: 02 9395 1200 (office ho	urs)	
3/29 Birnie Ave	Fax: 02 4729 3037		
Lidcombe NSW 2141	www.amgrow.com.au		
Chemical nature:	Suspension concentrate containing oryzalin		
Trade Name:	Stonewall Herbicide		
APVMA Code:	67511		
Product Use:	Agricultural herbicide for use as described on the product label.		
Creation Date:	July, 2021		
This version issued:	July, 2021 and is valid for 5 years from this date.		
Poisons Information Cer	ntre: Phone 13 1126 from anywhere in Australia		

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

UN Number: None allocated

GHS Signal word: NONE. Not hazardous.

PREVENTION

P262: Do not get in eyes, on skin, or on clothing.

P281: Use personal protective equipment as required.

RESPONSE

P363: Wash contaminated clothing before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P391: Collect spillage.

P370+P378: Not combustible. Use extinguishing media suited to burning materials.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Emergency Overview

Physical Description & Colour: Bright orange coloured liquid.

Odour: Mild odour.

Major Health Hazards: Oryzalin is practically nontoxic by ingestion, with reported oral LD₅₀ values of greater than 5000 mg/kg in rats and mice, and greater than 1000 mg/kg in cats, dogs, and chickens. The dermal LD₅₀ for technical Oryzalin in rabbits is greater than 2000 mg/kg, indicating slight to practically no toxicity by this route. It is reported to cause slight skin and eye irritation in the rabbit, and no skin sensitization in the guinea pig. No significant risk factors have been found for this product.

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, g/L	TWA (mg/m ³)	STEL (mg/m ³)
Oryzalin	19044-88-3	500	not set	not set
Other non hazardous ingredients	secret	to 1 L	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no

Issued by: Amgrow Pty Ltd

SAFETY DATA SHEET

Phone: 02 9395 1200 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. **Skin Contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

This product is likely to decompose only after heating to dryness, followed by further strong heating.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: Not combustible. Use extinguishing media suited to burning materials.

Fire Fighting: When fighting fires involving significant quantities of this product, wear a splash suit complete with self contained breathing apparatus.

Flash point:	Not combustible.
Upper Flammability Limit:	Does not burn.
Lower Flammability Limit:	Does not burn.
Autoignition temperature:	Does not burn.
Flammability Class:	Does not burn.

Section 6 - Accidental Release Measures

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. No special recommendations for clothing materials. Eye/face protective equipment should comprise, as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

SAFETY DATA SHEET

Issued by: Amgrow Pty Ltd Phone: 02 9395 1200 (office hours) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Storage: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**. Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Oryzalin is set at 0.1mg/kg/day. The corresponding NOEL is set at 12mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, June 2014.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This product should only be used where there is ventilation that is adequate to keep exposure below the TWA levels. If necessary, use a fan.

Eye Protection: Eye protection is not normally necessary when this product is being used. However, if in doubt, wear suitable protective glasses or goggles.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: There is no specific recommendation for any particular protective material type. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Section 9 - Physical and Chemical Properties:

Bright orange coloured liquid.
Mild odour.
Approximately 100°C at 100kPa.
Below 0°C.
Water component.
2.37 kPa at 20°C (water vapour pressure).
As for water.
Approx 1.18
Completely soluble in water.
No data.
No data.
No data.
As for water.
3.37 at pH 7 (log P octanol/water)
Does not burn.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight. **Incompatibilities:** strong acids, strong bases.

Fire Decomposition: This product is likely to decompose only after heating to dryness, followed by further strong heating. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: Polymerisation reactions are unlikely; they are not expected to occur.

SAFETY DATA SHEET

Issued by: Amgrow Pty Ltd Phone: 02 9395 1200 (office hours) Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Section 11 - Toxicological Information

Toxicity: Acute toxicity: Oryzalin is practically nontoxic by ingestion, with reported oral LD_{50} values of greater than 5000 mg/kg in rats and mice, and greater than 1000 mg/kg in cats, dogs, and chickens. The dermal LD_{50} for technical Oryzalin in rabbits is greater than 2000 mg/kg, indicating slight to practically no toxicity by this route. It is reported to cause slight skin and eye irritation in the rabbit, and no skin sensitization in the guinea pig. It is also slightly toxic when inhaled, with a 4-hour inhalation LC_{50} of greater than 3 mg/L in rats. Formulated products may show moderate toxicity by either the oral or inhalation routes, and may show skin and eye irritation and skin sensitization properties. In dogs and cats, large oral doses cause nausea and vomiting.

Chronic toxicity: Rats fed a dietary level of about 2.5 mg/kg/day for 2 years exhibited blood changes, increased liver and kidney weights, inhibition of growth, and decreased survival. Repeated ingestion of large doses led to adverse changes in blood cell formation in dogs. Mice given dietary doses of about 200 mg/kg/day for 1 year exhibited decreased uterine and ovarian weights. Those exposed to doses of 75 mg/kg/day showed no observable effects. **Reproductive effects:** There were no adverse effects on reproduction in a three-generation study of rats fed dietary concentrations of 12.5, 37.5, or 112.5 mg/kg/day, the highest dose tested. Foetotoxic effects appeared at 12.5 mg/kg/day. It does not appear that Oryzalin causes reproductive effects.

Teratogenic effects: There were no birth defects in the offspring of pregnant rats fed dietary concentrations as high as 112 mg/kg/day for three generations, nor in the offspring of pregnant rabbits given doses of 125 mg/kg/day, the highest dose tested. It appears that Oryzalin is unlikely to cause teratogenic effects.

Mutagenic effects: Oryzalin was not mutagenic in several tests, including tests on live rats and mice and on bacterial cell cultures. It does not appear that Oryzalin is mutagenic.

Carcinogenic effects: When Oryzalin was fed to rats in doses as high as 135 mg/kg/day for 2 years, there was an increase in the incidence of thyroid, mammary, and skin tumours. Thyroid tumours and benign skin and mammary tumours occurred in rats fed a dietary level of 45 mg/kg/day for 2 years. However, there were no tumours in mice fed doses as high as 548 mg/kg/day for 2 years. Because of these conflicting results, it is not possible to assess the carcinogenicity of Oryzalin.

Organ toxicity: Oryzalin has shown systemic effects on the thyroid, liver, and kidneys, as well as blood chemistry, in animal tests.

Fate in humans and animals: Oryzalin is moderately well-absorbed from the gastrointestinal tract, and rapidly metabolized and eliminated following absorption. When Oryzalin was administered to male rats, 40% of the dose was excreted in the urine and 40% in the faeces within 3 days. Similar results were obtained in tests with rabbits, a steer, and with Rhesus monkeys.

Classification of Hazardous Ingredients

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

SAFETY DATA SHEET

Issued by: Amgrow Pty Ltd

Phone: 02 9395 1200 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Section 12 - Ecological Information

This product is biodegradable. Expected to not be an environmental hazard.

Breakdown in soil and groundwater: Oryzalin is of low to moderate persistence in the field, with reported field half-lives ranging from 20 to 128 days. A representative value for soil half-life is estimated to be 20 days. Microbial degradation is mainly responsible for the breakdown of Oryzalin in soils, but it may undergo photodecomposition near the soil surface. Volatilization is not appreciable. Oryzalin is slightly soluble in water and it does not have a strong tendency to adsorb to soil particles. It is bound to a greater extent with increasing soil organic matter and clay content. In soils with low proportions of these, high water tables and increased rainfall, Oryzalin may be mobile, and thus present a risk of contamination to groundwater.

Breakdown in water: No breakdown of Oryzalin by hydrolysis was observed at pH 5, 7, and 9. Based on its behaviour in soil, breakdown by microbial processes is probably slow in the aquatic environment due to low levels of oxygen and low microbial activity. Photodegradation may be significant in the upper portions of the water column. **Breakdown in vegetation:** Oryzalin is readily absorbed via the roots, and plant metabolism of Oryzalin is minimal. Section 13 - Disposal Considerations

Disposal: Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

Section 14 - Transport Information

UN Number: This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (December 2011)

Copyright © Amgrow Pty Ltd, July, 2021.

SAFETY DATA SHEET

Issued by: Amgrow Pty Ltd Phone: 02 9395 1200 (office hours) Reisons Information Control 13 1126 from anywhere in Australia (1990, 764, 766 in New Zealand)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)