

Product Name: INSTAR GRANULAR INSECTICIDE
APVMA Approval No: 68975/129651



Label Name:	INSTAR GRANULAR INSECTICIDE
Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	0.25 g/kg FIPRONIL
Mode of Action:	GROUP 2B INSECTICIDE
Statement of Claims:	FAST ACTING, NON-REPELLENT CONTROL OF ARGENTINE STEM WEEVIL AND ANTS IN TURF, EXTERNAL SURROUNDS OF BUILDINGS AND STRUCTURES AS SPECIFIED IN THE DIRECTIONS FOR USE
Net Contents:	100 g - 1000 kg
Restrains:	DO NOT apply inside buildings
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	
Trade Advice:	

General Instructions:	<p>GENERAL INSTRUCTIONS For optimum results use a correctly calibrated granule applicator.</p> <p>Instar® Granular Insecticide is a highly effective, fast acting, non-repellent, odourless product specifically formulated for outdoor use to control ants. When spread on outdoor surfaces it provides barrier protection.</p> <p>When used as directed, Instar® Granular Insecticide will not harm soil and plants. Inconspicuous in use – ideal for pavers and paths. Can be used on lawns, gardens or hard surfaces.</p>
-----------------------	--

Resistance Warning:	<p>INSECTICIDE RESISTANCE WARNING GROUP 2B INSECTICIDE</p> <p>For insecticide resistance management Instar® Granular Insecticide is a Group 2B insecticide. Some naturally occurring insect biotypes resistant to Instar® Granular Insecticide and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Instar® Granular Insecticide or other Group 2B insecticides are used repeatedly. The effectiveness of Instar® Granular Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Amgrow Pty Ltd accepts no liability for any losses that may result from failure of Instar® Granular Insecticide to control resistant insects. Instar® Granular Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier or Amgrow representative.</p>
---------------------	---

Precautions:	<p>PRECAUTION DO NOT spread granules directly onto humans, pets, exposed food, food preparation areas or food utensils.</p>
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.</p> <p>PROTECTION OF PETS AND LIVESTOCK Before treatment, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Keep away from domestic pets, especially dogs. If dogs eat the granules, contact your veterinary surgeon immediately. Use with caution around pets – ensure product is well dispersed i.e. swept in between pavers, cracks and crevices and disperse into soil and/or lawn. Cover or remove fishponds, aquariums etc before application. DO NOT apply Instar Granular Insecticide within 2 metres of a fishpond or water containing fish or aquatic species. DO NOT graze treated turf or feed turf clippings from any treated area to poultry or livestock.</p>
--------------	--

Storage and Disposal:	<p>STORAGE AND DISPOSAL Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory regulations.</p>
-----------------------	---

Safety Directions:	SAFETY DIRECTIONS Will irritate the eyes. Avoid contact with eyes. Wash hands after use.
--------------------	--

First Aid Instructions:	FIRST AID If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.
-------------------------	--

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

DO NOT apply inside buildings

Situation	Pest	Rate kg/ha	Rate kg/100 m ²	Critical Comments
Turf (for example: lawns, commercial turf farms, parks, recreational areas, golf courses, bowling greens, sports fields)	Argentine stem weevil (<i>Listronotus bonariensis</i>)	75 – 150	0.75 – 1.5	Broadcast Instar® Granular Insecticide with suitable application equipment to ensure uniform coverage over the treatment area at the first signs of pest activity. The treatment area must be irrigated with up to 4 mm of water immediately after application. Inspect treatment areas for continuing activity. If required, repeat applications may be made at 2 month intervals up to a maximum of 5 applications per year.
	Funnel ants	75 - 150	0.75 – 1.5	
External surrounds of buildings and structures including: gardens, lawns, ant nests and trails	Nuisance Ants including Red Imported Fire ant and Yellow Crazy Ant	75 - 150	0.75 – 1.5	Apply Instar® Granular Insecticide to areas where ants are active. Sprinkle evenly over the area to be treated. Where possible apply directly on and around ant nests or trails. Reapply as necessary. Use high rate for heavy infestations and for maximum residual control. Use the low rate for maintenance situations or to control light infestations. When applied to pavers, sweep excess product into cracks for best control.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION