

## DIRECTIONS FOR USE:

**RESTRAINTS:** DO NOT spray if weeds are wilted by dry or cold weather  
DO NOT spray if rain is likely within four hours.

SITUATION	WEEDS CONTROLLED	RATE			CRITICAL COMMENTS
		PER HECTARE	HIGH VOLUME PER 100 LITRES	PER 15 LITRE KNAPSACK	
Turf - established Couch (incl. Queensland Blue Couch), Kikuyu, Paspalum, Buffalo, Fescue, Bent and Rye	Bindii, Jo-Jo (Onehunga), Cudweed, Dandelion, Catsear, Plantains, Thistles, Oxalis, Cape-weed, Creeping buttercup, Fleabane, Clover (not Tas).	5.5 litres in 500 litres of water (boom spraying)	300ml (power spraying).	60ml per 100 square metres.	Apply evenly over the area to be treated. Slight browning of grasses may occur. DO NOT mow turf for 2 days after treatment.

**NOT TO BE USED FOR ANY PURPOSES, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL INFORMATION

**RESISTANT WEEDS WARNING:** Barmac Bindii Killer Selective Weedkiller is a member of the Phenoxy ,benzoic acid and Nitriles groups of herbicides. The product has the disruptors-of-plant-cell growth and inhibitor of photosynthesis and photosystem II modes of action. For weed resistance management Barmac Bindii Killer Selective Weedkiller is a group C and a Group I herbicide. Some naturally occurring weed biotypes resistant to Barmac Bindii Killer Selective Weedkiller and other group C and group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Barmac Bindii Killer Selective Weedkiller or other group C and group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Barmac Industries Pty Ltd accepts no responsibility for any losses that may result from the failure of Barmac Bindii Killer Selective Weedkiller to control resistant weeds.

**PROTECTION OF CROPS, NATIVE AND NON TARGET PLANTS:** DO NOT apply under meteorological conditions or from spraying equipment which could be expected to cause spray to drift onto nearby susceptible plants, adjacent crops, crop lands or pastures.

In particular, avoid spray drift and vapour movement onto susceptible crops such as cotton, tobacco, tomatoes, vines, lupins fruit trees and ornamentals.

**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**BARMAC**



## SELECTIVE WEEDKILLER

**ACTIVE CONSTITUENTS:**  
200 g/L BROMOXYNIL present as the octanoic acid ester  
200 g/L MCPA present as the butoxyethanol ester  
**SOLVENT:** 343 g/L LIQUID HYDROCARBON

**GROUP C HERBICIDE**

**5L**  
Contents

**FOR THE CONTROL OF: WEEDS IN PARKS,  
GOLF COURSES AND LAWNS.**



**BARMAC INDUSTRIES** PTY LTD  
Box Flat Estate, Swanbank Rd,  
SWANBANK, QLD 4306  
TEL: (07) 3280 3000

APVMA APPROVAL NUMBER 41091/0802

**Batch  
Number:**

**Date of  
Manufacture:**

**PROTECTION OF LIVESTOCK:** DO NOT feed lawn or grass clippings from treated areas to poultry or livestock.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT:** Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

**STORAGE AND DISPOSAL:** Store in a closed original container in a cool well ventilated area away from children, animals, food, feedstuffs, seed and fertilizer. Do not store for prolonged periods in direct sunlight. Triple rinse or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemical on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling break, puncture or crush and bury empty containers in a local authority landfill. If no local authority landfill is available bury the containers below 500mm in a disposal pit specifically marked and set up for the purpose, clear of waterways, desirable vegetation and tree roots. Empty containers or product should not be burned.

**FIRST AID:** If poisoning occurs, contact a doctor or Poisons Information Centre Phone 131126.

**SAFETY DIRECTIONS:** Product is poisonous if inhaled or swallowed. Attacks the eyes and will irritate the skin. Avoid contact with the eyes and skin. Do not inhale spray mist. When opening the container and preparing spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, and a face shield or goggles. If product on skin, immediately wash area with soap and water. If product in eyes wash out immediately with water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves, face shield or goggles and contaminated clothing.

**MATERIAL SAFETY DATA SHEET:** Additional information is listed on the Material Safety Data Sheet available from Barmac Industries Pty Ltd or from our internet site [www.barmac.com.au](http://www.barmac.com.au).



NOTICE: This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.

